

Premium otoscopes with glass optics and LED / Li-Ion technology

$\mathbf{e} \mathbf{m} \mathbf{e} \mathbf{c} \mathbf{h}$ $\mathbf{m} \mathbf{e} \mathbf{d} \mathbf{i} \mathbf{c} \mathbf{a}^{+} \mathbf{h}$

ri-scope® L1

The inexpensive basic model with reduced-reflection, direct illumination (without specula ejection device)

- Direct illumination with 2.5-V halogen, or 3.5-V xenon lamp
- Bi-directional swivelling optical glass with 3-fold magnification, optional available with operation lens with 4-fold magnification
- Metal fitting for ri-mini[®]/pen-scope[®] specula, compatible with specula by other well-known manufacturers
- Suitable for pneumatic tests (supplied without ball)
- Available with optional C or AA handles (runs on commercial alkaline or NiMH batteries)

ri-scope® L2

The inexpensive F.O. model with 2.5-V/3,5V xenon or 3.5-V LED lights (without specula ejection device)

- Fiberoptics for optimal beaming and transmission of the light
- Bi-directional swivelling, sealing optical glass with 3-fold magnification
- Optional operation lens with 4-fold magnification available
- Metal fitting for ri-mini/pen-scope[®] specula, compatible with specula by other well-known manufacturers
- Suitable for pneumatic tests (supplied without ball)
- Available with optional C or AA handles (runs on commercial alkaline or Li batteries or Li-ion batteries)

ri-scope® L3

The high-end F.O. version with 2,5V/3,5V Xenon or 3,5V LED illumination, specula ejection device and operation lens.

- Fiberoptics for optimal beaming and transmission of the light
- Bi-directional swivelling optical glass with 3-fold magnification
- Operation lens with 4-fold magnification and glass mini optic ease the insertion of instruments
- Easy-to-operate SpecEjec* specula ejection device
- Fitting for ri-scope[®] specula and enlarged conduit for instruments
- Suitable for pneumatic tests (supplied without ball)
- Available with optional C or AA handles (runs on commercial alkaline or Li batteries or Li-ion batteries)

Operation otoscope



ri-scope® Operation otoscope

- HL 2.5-V halogen lamp, XL 3.5-V xenon lamp.
- Swivelling lens with 2.5-fold magnification.
- Movable speculum holder can be fixed in any position.
- Open design for unhindered use during examination and operation.
- Bayonet fitting for quick and secure attachment to the handle.
- OP otoscope made of metal and speculum holder made of impact-resistant plastic for long service life.
- Bulbs can be quickly replaced on the front of the otoscope.

without anti-theft device Nr. 10562 HL 2,5 V Nr. 10563 XL 3,5 V with anti-theft device Nr. 10563-301 XL 3,5 V

without anti-theft device

with anti-theft device Nr. 10580-301 XL 3,5 V

Nr. 10565-301 LED 3.5 V

Nr. 10564 Nr. 10580

Nr. 10565

XL 2.5 V

XL 3.5 V

LED 3,5 V

| ⋳⋻ |
|-------|
| |
| l III |
| |
| |
| |
| |

 without anti-theft device

 Nr. 10566
 XL
 2,5 V

 Nr. 10581
 XL
 3,5 V

 Nr. 10567
 LED 3,5 V

 with anti-theft device

 Nr. 10581-301
 XL
 3,5 V

 Nr. 10567-301
 LED 3,5 V



The SpecEjec[®] device enables touchless ejection of used ear specula for hygienic and simplified handling.

 without anti-theft device

 Nr. 10560
 HL 2,5 V

 Nr. 10561
 XL 3,5 V

 with anti-theft device
 Nr. 10561-301

 XL 3,5 V
 XL 3,5 V